This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.









Apt. Code Messages 0201 <empty> 104 0202 Steel, John 3 0203 Plastic, Peter 展展的可能的工作。在中心人 03/08/2004 11:29 Home atarm in apartment 0202 08/03/2004 at 11:28:52AM: acknowledged at 11:29:02

Fogre 8

Apt. Code · Messages 0201 <empty> 0202 Steel, John 0203 Plastic, Peter MAIL F1 03/08/2004 11:59 Message to apartment posted 0202,mail message 03/08/2004 11:29 Home alarm in apartment 0202 08/03/2004 at 11:28:52AM: acknowledged at 11:29:02

Figure 9

| | Apt. Code | <u>∆</u> Name | Messages |
|-----------|--|--|----------------------------------|
| | 0201 | <empty></empty> | • |
| | 0202 | Steel, John | 4 |
| | 0203 | Plastic, Peter | 0 |
| resignare | | | |
| | Date: 3/ | 8/2004 12:01:19 PM | |
| | Message type: C | | |
| | Apartment: 02 | 202 | |
| | No hot water 12pm | to 2pm | |
| 18 | | | |
| 1. W | O • • • • • | | |
| | | | |
| | A STATE OF THE STA | To govern | |
| | 03/08/2004 11:59 Me 03/08/2004 11:29 Ho acknowledged at 11: | ssage to apartment posted 0202,ma me alarm in apartment 0202 08/03/20 | il message 004 at 11:28:52AM: |

Type 10

122 0202 is calling to concierge Apt. Code Messages 3 messages for 0202 0201 <empty> 0202 Steel, John Plastic, Peter 0203 VIEW/EDIT F9 03/08/2004 11:29 Home alarm in apartment 0202 08/03/2004 at 11:28:52AM: acknowledged at 11;29:02

Voyve 11

| | Apt. Code | Name | Messages |
|-------------------|--|-----------------|--|
| | 0201 | <empty></empty> | 0 |
| | 0202 | Steel, John | 4 |
| | 0203 | Plastic, Peter | (1) |
| | Colombian (), via Laura (), via Colombian (), vi | | |
| | | | |
| Charles III | ire alarm in apartr | nent 0203 | And the second s |
| Charles and Land | 08/03/2004 at 12:0 | 2:35PM | |
| NTRUSION AL | cknowlege time re | ok F | |
| | | | |
| 20 (24) (2.15) | | | |
| ZORZET CONTRACTOR | | | |
| | | | |
| | | | |

Topre 12

| .Apartment.Code | 0202 |
|---------------------------------------|--|
| First name: | John |
| Last Name: | Steel |
| Phone | 777 - 555-5555 |
| Doctor's name: | Dr. Goldman |
| Doctor's phone | 777-555-5551 |
| Medical information | |
| Diabetic - Aller | gic to Paricillin |
| Additional commen | ls |
| | The state of the s |
| Domestics: | |
| . Pets | CAT |
| · · · · · · · · · · · · · · · · · · · | The state of the s |
| | |

Typice 13